


HEALTH
E30 OCT 46
O.R.

Library

STOKESLEY RURAL DISTRICT COUNCIL

MINISTER OF HEALTH
LIBRARY

Medical Officer's
ANNUAL REPORT
FOR THE YEAR
1945.



THE RURAL DISTRICT OF STOKESLEY

Chairman of the Council:

HENRY WILLIAMS TARRAN, ESQ.

Vice Chairman:

LT COL J.B.W. PENNYMAN

Chairman of the Public Health and Plans Committee:

H.W. TARRAN, ESQ.

Chairman of the Housing Committee:

H.W. TARRAN, ESQ.

Clerk to the Council:

H. WYNNE POTTS.

Medical Officer of Health:

- F.D. ROSS-KEYT, M.B., Ch.B., D.P.H.

Sanitary Inspectors:

- A. CLIFTON WALKER, C.R.S.I., M.S.I.A.

- T.S. YARROW, Cert. S.I.B. *

Clerk:

Sybil Thomas

- Contribution to Salary from Exchequer.

* In H.M. Forces - returned June, 1945.

SECTION A

Statistical and General Conditions of the Area.

Area (In acres)	90,182
Registrar General's Estimate of resident population, mid-1945	15,910
Average population appropriate to the calculation of death rates	15,910
Number of inhabited houses (end of 1945) according to Rate Books	5,532
Rateable Value	£77,727
Sum represented by a penny rate	£300

	Total	M	F	
Live Births:	265	139	126	
Legitimate	248	131	117	Birth Rate per 1,000 of the estimated resident popula- tion: 16.6
Illegitimate	17	8	9	
Still Births	15	5	10	Rate per 1,000 total (live and still) births: 53.6
Deaths	198	104	94	Death Rate per 1,000 of the estimated resident popula- tion: 12.4.

Deaths from puerperal causes (Headings 29 and 30 of the Registrar-General's Short List):

	Deaths	Rate per 1,000 total (Live and Still) Births.
No 29 Puerperal sepsis	1	3.6
No 30 Other Puerperal causes	2	7.1
Total	3	10.7

Death Rate of Infants under one year of age:			
All infants per 1,000 live births	56.6		
Legitimate infants per 1,000 legitimate live births	60.5		
Illegitimate infants per 1,000 illegitimate live births	0.0		

Deaths from Cancer (all ages)	30
" " Measles (all ages)	--
" " Whooping Cough	1
" " Diarrhoea (under 2 years of age)	2

There was no unusual or excessive mortality during the year which requires comment.

SECTION B

General Provision of Health Services for the Area.

(a) LABORATORY FACILITIES:

During the year the Council continued the arrangements offered by the Emergency Public Health Laboratories, Northallerton, in respect of diagnosis of pathological specimens, at a fixed charge based on the average expenditure of previous years for this service.

(b) AMBULANCE FACILITIES:

The whole of the District possesses Ambulance facilities.

The St. John Ambulance Association (Great Ayton Division) serves the greater part of the District, and the Council now makes an annual contribution to the funds of the Division.

An agreement is made with the Stockton Corporation whereby the Parish of Yarm has the use of the Corporation Ambulance for purposes other than the removal of infectious disease cases.

Cases of infectious disease occurring in the District are removed by the ambulance of the Middlesbrough Corporation to the Corporation Isolation Hospital, Middlesbrough.

(c) NURSING IN THE HOME:

In all Parishes the District Nurse also undertakes midwifery.

(d) TREATMENT CENTRES AND CLINICS:

The North Riding County Council Ante-Natal and Infant Welfare Clinics in the Rural District are held as follows:-

Infant Welfare Clinics.		Ante-Natal Clinics	
Ormesby	- fortnightly on Wednesdays.	Yarm	- fortnightly on Thursdays
Stokesley	- fortnightly on Mondays.		
Great Ayton	- 1st & 3rd Thursdays except August).	Ormesby	- fortnightly on Wednesdays.
Hutton Rudby-	3rd Tuesday in month.		
East Rounton-	1st Tuesday in month.	Stokesley	- fortnightly on Wednesdays.

(e) HOSPITALS (PUBLIC AND VOLUNTARY):

The hospital arrangements remain unchanged.

SECTION C

Sanitary Circumstances of the Area.

1. (i) WATER:

The Council's Water Schemes, which now supply 19 parishes (as detailed later in this Section), have operated satisfactorily during the year.

Attention has been paid to action on lead, but it has not been found necessary to instal any form of treatment.

Chlorination:- All water is chlorinated. A Wallace and Tiernan Constant Flow Hypochlorinator is connected to the mains on both the Turkey Nab and Scugdale systems below the reservoir and above all connections.

These machines have been maintained and have operated satisfactorily during the year.

For a period of six weeks during July and August, the consumption ran very close to the inflow into the reservoirs and care had to be taken to conserve supplies.

A scheme has been prepared to augment the supply. This scheme is to bring in supplies from additional springs at Clogger Hall, Ingleby; Merebeck, Faceby; Holiday House and Wether Hill, Scugdale.

Samples of water from all these springs have been taken during the year and gaugings taken of the flow. This information is being prepared with a view to the engineers report for these additional supplies.

Details of all supplies of water within the Council's area are herewith appended.

PUBLIC WATER SYSTEMS

Tees Valley Water Board

Parish	No of Connections		
	at 31/12/44	During 1945	at 31/12/45
Great Ayton ...	585	11	596
Hemlington ...	25	-	25
Maltby ...	52	-	52
Marton ...	364	2	366
Nunthorpe ...	113	4	117
Ormesby ...	755	1	756
Stainton ...	106	-	106
Stokesley ...	460	8	468
Yarm ...	557	-	557
Total	3,017	26	3,043

Stokesley R.D.C. (Turkey Nab)

Parish	No of Connections		
	at 31/12/44	During 1945	at 31/12/45
Carlton	77	2	79
Gt & Lt Broughton ...	156	3	159
Great Busby	17	1	18
Hilton	25	-	25
Hutton Rudby	253	5	258
Ingleby Barwick ...	20	1	21
Kirkby	58	1	59
Little Busby	3	-	3
Middleton	10	2	12
Potto	32	1	33
Rudby	13	-	13
part Faceby	2	1	3
" Easby	3	-	3
Total	669	17	686

Stokesley R.D.C. (Scugdale)

Parish	No of Connections		
	at 31/12/44	During 1945	at 31/12/45
Castleleavington ...	7	-	7
Crathorne	43	2	45
High Worsall	10	2	12
Kirkleavington ...	42	2	44
Low Worsall	23	-	23
Picton	34	-	34
Whorlton... ..	122	1	123
part Potto	10	-	10
" Hutton Rudby ...	6	-	6
" East Rounton ...	6	-	6
Total	303	7	310

TEES VALLEY WATER BOARD MAINS EXTENSION
(Water purchased in bulk from the Tees Valley Water Board and distributed through the extended mains which are the property of the Stokesley Rural District Council).

Parish	No of Connections		
	at 31/12/44	During 1945	at 31/12/45
Newby	34	1	35
Total	34	1	35

The following table shows particulars of those Parishes which are not served with water by public piped supplies.

Parish	Nature of Supply
Bilsdale Midcable ...	Pumps and wells and partial piped supply of the Feversham Estate.
Easby	Pumps and well and partial private piped supply.
East Rounton	Private piped supply of the Rounton Estate and part Stokesley R.D.C. Scugdale supply.
Faceby	Pumps and wells and partial private piped supply.
Ingleby Arncliffe ...	Private piped supply of Arncliffe Estate.
Ingleby Greenhow ...	Private piped supply of Ingleby Greenhow Estate.
Kildale	Private piped supply.
Little Ayton	Pumps and wells.
Seamer	Private supply of Seamer Water Company.
Sexhow	Pumps and wells.
Skutterskelfe	Pumps and wells.

From an analysis of the foregoing tables 84% properties and 86% population are served to the houses with a piped water supply.

0.6% properties and 0.2% population are served with stand pipes.

Date		Description		Amount	
1900	Jan 1	Balance		100.00	
1900	Jan 15	Received from A. B.		50.00	
1900	Feb 1	Received from C. D.		25.00	
1900	Feb 15	Received from E. F.		75.00	
1900	Mar 1	Received from G. H.		100.00	
1900	Mar 15	Received from I. J.		150.00	
1900	Apr 1	Received from K. L.		200.00	
1900	Apr 15	Received from M. N.		250.00	
1900	May 1	Received from O. P.		300.00	
1900	May 15	Received from Q. R.		350.00	
1900	Jun 1	Received from S. T.		400.00	
1900	Jun 15	Received from U. V.		450.00	
1900	Jul 1	Received from W. X.		500.00	
1900	Jul 15	Received from Y. Z.		550.00	
1900	Aug 1	Received from A. B.		600.00	
1900	Aug 15	Received from C. D.		650.00	
1900	Sep 1	Received from E. F.		700.00	
1900	Sep 15	Received from G. H.		750.00	
1900	Oct 1	Received from I. J.		800.00	
1900	Oct 15	Received from K. L.		850.00	
1900	Nov 1	Received from M. N.		900.00	
1900	Nov 15	Received from O. P.		950.00	
1900	Dec 1	Received from Q. R.		1000.00	
1900	Dec 15	Received from S. T.		1050.00	
1900	Dec 31	Balance		1100.00	

Total Received 1100.00

WATER ANALYSIS.

No.	Date of Sampling.	Address.	Summary of Analyst's Report.
1	28. 3. 45	Moorland Spring, The Orphan, Turkey Nab.	Due precaution against plumbsolvent action should be taken.
2	28. 3. 45	Moorland Spring No.3, Wether Hill, Scugdale.	-do-
3	28. 3. 45	Moorland Spring No.3, Merebeck, Carlton.	-do-
4	31. 5. 45	Spring House, Gt. Broughton, Land Spring pipe over trough in yard.	Supply not considered reliable on account of access surface contamination.
5	31. 5. 45	Spring House, Gt. Broughton, dish well in wood 100Yds. from farm.	Satisfactory for drinking and general domestic purposes.
6	21. 6. 45	"Levensdale", Garden House, Stokesley. (adjoining house)	This cannot be considered a reliable source on account of access of surface drainage to the well.
7	21. 6. 45	Staindale, Raisdale Bilsdale.	This cannot be considered a reliable source on account of access of surface drainage.
8	25. 6. 45	The Mill, Leven Bridge.	Satisfactory for public supply.
9	3. 7. 45	West Lees Farm, Whorlton, S.R.D.C. Scugdale Supply.	-do-
10	3. 7. 45	Cottage, Potto, S.R.D.C. Turkey Nab Supply.	The present condition of this water is satisfactory for public supply.
11	3. 7. 45	Levensdale, Garden House, Stokesley (Pump in field at rear).	Satisfactory for drinking purposes. Due precaution against plumbsolvent action should be taken.
12	17. 9. 45	Brawith Farm, Skutterskelfe.	The present condition not satisfactory.
13	18. 9. 45	Merebeck, Carlton.	Satisfactory. Plumbo-solvent action.
14	18. 9. 45	Wether Hill, Scugdale.	-do-
15	8.10. 45	Outram Cottage, Great Ayton.	Satisfactory for drinking and general domestic purposes.
16	8.10. 45	Mount Pleasant, Great Ayton.	Excessive salinity and hardness. Unsatisfactory for drinking and general domestic purposes.

No.	Date of Sampling.	Address.	Summary of Analyst's Report.
17	10. 12. 45	Lane End Cottages, Gt. Broughton.	The present condition of this water is satisfactory for public supply.
18	11. 12. 45	-do-	-do-
19	12. 12. 45 ⁵	-do-	-do-
20	13. 12. 45	-do-	-do-
21	14. 12. 45	-do-	-do-
22	17. 12. 45	-do-	-do-

Bacteriological Analysis.

No.	Date of Sampling.	Address.	Summary of Analyst's Report.
1	28. 3. 45	Moorland Spring, The Orphan, Turkey Nab.	Present condition regarded as highly satisfactory for drinking and domestic purposes.
2	28. 3. 45	Moorland Spring, No.3 Wether Hill, Scugdale.	-do-
3	28. 3. 45	Moorland Spring, No.3 Merebeck, Carlton.	-do-
4	28. 3. 45	Moorland Spring, Holiday House, Scugdale.	-do-
5	26. 4. 45	No.1 Spring, Wether Hill, Scugdale.	-do-
6	26. 4. 45	No.2 Spring, Wether Hill, Scugdale.	-do-
7	26. 4. 45	No.3 Spring, Wether Hill, Scugdale.	-do-
8	31. 5. 45	Spring House, Gt. Broughton. Land spring pipe over trough in yard.	High Degree of contamination (B.Coli type 1), water cannot be regarded as satisfactory for drinking or domestic purposes.
9	31. 5. 45	Spring House, Gt. Broughton. Wish well in wood 100 Yds. from farm.	Slight degree of contamination but satisfactory for drinking or domestic use.
10	21. 6. 45	"Levensdale", Garden House, Stokesley. (adjoining house)	Gross contamination with Coliform organisms. All faecal (B.Coli Type1). Unsatisfactory for drinking and domestic purposes.

No.	Date of Sampling.	Address.	Summary of Analyst's Report.
11	21. 6. 45	Staindale, Raisdale, Bilsdale.	No contamination with coliform organisms. Highly satisfactory for drinking purposes.
12	25. 6. 45	The Mill, Leven Bridge.	Chlorination not adequate.
13	3. 7. 45	West Lees Farm, Whorlton. S.R.D.C. Scugdale Supply.	-do-
14	3. 7. 45	Cottage, Potto. S.R.D.C. Turkey Nab Supply.	No evidence of contamination. Water highly satisfactory for drinking and domestic purposes.
15	3. 7. 45	Levensdale, Garden House, Stokesley. (pump in field at rear).	Contamination with coliform organisms. Majority belong to (intermediate-aerogenes-cloacae or to irregular Type). The remainder are faecal (B.Coli Type 1) The water must be regarded with suspicion. Advisable to repeat test.
16	19. 7. 45	Shallow Well, Newby Farm, Newby.	High contamination with coliform organisms half of which appear to belong to intermediate-aerogenes-cloacae or to irregular types, and half (B.Coli Type 1). Total count too high for a satisfactory water supply.
17	19. 7. 45	Tap over sink, hand spring, Gribdale, Gt. Ayton.	There is slight contamination with coliform organisms all of which appear to belong to intermediate-aerogenes-cloacae or irregular types. The water should be regarded with suspicion and it would be advisable to repeat examination in the near future.
18	17. 9. 45	Brawith Farm, Skutterskelfe.	There is a gross contamination with Coliform organisms, all of which are faecal.
19	18. 9. 45	Merebeck, Carlton.	There is a slight contamination with Coliform organisms but within M.O.H. standard.
20	18. 9. 45	Holiday House, Scugdale.	Moderate contamination with Coliform organisms.
21	18. 9. 45	Wether Hill, Scugdale.	Slight contamination with Coliform organisms but within M.O.H. standard.

(ii) DRAINAGE AND SEWLRAGE:

(1) Sewage Disposal Works are in operation as detailed below:-

Position of Works	Area Served
Cargo Fleet Lane, Ormesby.	Part of Parish of Ormesby.
Gipsy Lane, Marton.	Part of Parishes Marton, Nunthorpe and Ormesby.
Gunnergate Lane, Marton.	Part of Parish of Marton.
Great Ayton.	Parish of Great Ayton.
Busby.	Village of Great Busby.
Kirkleavington	Village of Kirkleavington.
Yarm	Worsall Road and Council's Housing Estate.

A new sprinkler to the contact beds at Ormesby Works had to be provided owing to serious damage by frost. Otherwise the works were maintained in good condition and operated satisfactory.

SEWERS:

A serious stoppage on the 12" outfall sewer at Great Ayton, necessitated the opening up, relaying a small section and rodding of a length approximately 100 yards.

PROPOSED SEWERAGE & SEWAGE DISPOSAL WORKS.

The Council's Engineers have carried out preliminary surveys and prepared reports for the following areas:-

Parish of Ormesby - Normanby Road - Sewer and Pumping Station.

Parish of Ormesby - Swan's Corner - Sewers, Screen Chambers and Pumping Station.

Parish of Stainton - New sewerage for the Village - Outfall Sewer and Sewage Disposal Works.

These proposals have been submitted to the North Riding County Council for consideration under the Rural Water Supplies and Sewerage Act, 1944.

The Engineer has been instructed and has carried out surveys in the following parishes where sewerage and Sewage Disposal Works are urgently required:-

Great Broughton, Kirkby, Carlton, Whorlton (Village of Swainby), Hutton Rudby, Seamer and Yarm.

NEW SEWERS 1945

Location	Length in Yards	Diam	Remarks
West End, Stokesley	40	6	) Surface Water
-do-	60	9	) Sewer to
-do-	74	12	) New Housing
-do-	612	15	) Estate.
West End, Stokesley	18	4	) Foul sewer
-do-	463	6	) to Housing
-do-	66	9	) Estate.
	375	4	Pumping main to above.
Marton, North Gunnergate Lane	146	9	Sewer extension to drain 7 properties.
Total	2,054	-	-

2. RIVERS & STREAMS:

During the year approximately 1 mile of the River Leven at Great Ayton and 1,500 yards of Broughton Beck at Great Broughton were cleansed.

3. CLOSET ACCOMMODATION:

During the year 9 Privies have been converted to Water Closets - 5 Great Ayton, 3 Stokesley, 1 Ormesby.

PUBLIC CLEANSING:

Refuse Collection is carried out by direct labour in twelve parishes. For this purpose a "Dennis" 9 c.yd. and a "Karrier Bantam" 7 c.yd Refuse Collection vehicles are used. A "Karrier Cob" vehicle is held as a standby in case of breakdown.

A summary of work performed for the year is set out below:-

Vehicle	Working Days	Loads	Bins	Pans	Ashpits	Miles
Dennis	281	792	63,706	18,638	1,238	8,078
Bantam	288	750	38,091	21,283	1,996	11,205
Total	569	1,542	101,797	39,921	3,234	19,283

The Dennis vehicle collects in the Parishes of Great Ayton, Hemlington, Marton, Nunthorpe, Ormesby and Stainton, and, from the aforementioned figures, travels an average of 8.99 miles per load.

The Bantam vehicle collects in the Parishes of Carlton, Hutton Rudby, Ingleby Arncliffe, Stokesley, Whorlton and Yarm. This district is more rural in character, with greater distances between villages and thus requires longer leads to the tip for disposal, and from the aforementioned figures, travels an average of 14.94 miles per load.

The refuse is disposed of at the Council's Refuse Tip, Quarry Farm, Nunthorpe. This is a disused Whinstone Quarry. The tip is maintained in a satisfactory manner, and no complaints of nuisance have been received.

(iii) SALVAGE:

Materials collected during the year are detailed as follows:-

	Tons	Cwts	Qrs	£	s	d
Paper	40	3	-	251	4	6
Rags	1	17	1	25	5	2
Sacks	2	15	2	9	14	4
Metal	1	3	3	2	19	5
Jam Jars - 23 doz					11	6
Totals	45	19	2	289	14	11

(iv) SANITARY INSPECTION OF THE AREA.

Summary of Inspection.

Complaints	...	...	...	...	...	...	...	145
do re-visits	...	...	...	...	...	...	...	80
Housing Act	...	...	...	...	...	...	...	982
do re-visits	...	...	...	...	...	...	...	10
Infectious Diseases	...	...	...	...	...	...	...	50
Disinfection	...	...	...	...	...	...	...	44
Meat and Food Inspection	...	...	...	...	...	...	...	20
Dairies and Cowsheds	...	...	...	...	...	...	...	42
Water Supply	...	...	...	...	...	...	...	49
Temporary Dwellings	...	...	...	...	...	...	...	7
New Buildings	...	...	...	...	...	...	...	129
Drain Work	...	...	...	...	...	...	...	110
Factories and Workshops	...	...	...	...	...	...	...	3
Privy Conversions	...	...	...	...	...	...	...	25
Sewers and Sewage Works	...	...	...	...	...	...	...	140
Refuse Collection and Disposal	...	...	...	...	...	...	...	92
Salvage	...	...	...	...	...	...	...	45
								1,973

Nuisances

Number of Inspections made	...	...	...	...	...	179
" " re-inspections made	...	...	...	...	...	152
" " Informal Notices served	...	...	...	...	...	158
" " Statutory Notices served	...	...	...	...	...	2
" " Nuisances discovered	...	...	...	...	...	188
Roofs repaired	...	...	...	...	...	26
Walls "	...	...	...	...	...	21
Floors relaid	...	...	...	...	...	15
Ceilings repaired	...	...	...	...	...	13
House Water Supplies	...	...	...	...	...	14
Yard surfaces	...	...	...	...	...	4
Refuse Bins renewed	...	...	...	...	...	23
Closet Pans renewed	...	...	...	...	...	17
Foul Cesspools	...	...	...	...	...	14
Foul Drains	...	...	...	...	...	31
Foul Ashpits	...	...	...	...	...	5
Defective Privies	...	...	...	...	...	8
Defective Window Frames	...	...	...	...	...	6
Defective Cooking Ranges	...	...	...	...	...	19
Defective Spouts	...	...	...	...	...	12
Defective Rain Water Pipes	...	...	...	...	...	7
Defective Water Service Pipes	...	...	...	...	...	4
Dirty Premises	...	...	...	...	...	5
Defective WC basins	...	...	...	...	...	7
Miscellaneous repairs not enumerated above	...	...	...	...	...	27

(v) HOUSING AND BUILDING PLANS:

Further to Ministry of Health Circular 64/44 and the Hobhouse Report, a Rural Housing Advisory Committee for the North Riding of Yorkshire was formed during the year.

This Committee considered fully the various problems e.g. Definitions, use of standard forms, standards of fitness, and staffing difficulties.

On the release of the Additional Inspector and the appointment of an unqualified inspector, work was actively commenced on the survey in September.

By the end of the year, 956 houses had been inspected. Classification placed these properties as follows:-

Minor defects only	234
Major defects but capable of repairs, alteration or improvement	523
Unfit for habitation and beyond repair at a reasonable expense ...	199

Further details and analysis is withheld until the completion of the report when it is considered that there will be a decrease in the percentage of properties in the lower categories.

BUILDING PLANS:

139 Visits were made with respect to new buildings.

Plans were approved for buildings in the following Parishes:-

Carlton	1
Great Ayton	7
Great Broughton	2
Hutton Rudby	1
Ingleby Greenhow	1
Maltby	2
Harton	7
Newby	2
Nunthorpe	5
Ormesby	2
Potto	1
Seamer	1
Stainton... ..	2
Stokesley	7
Whorlton... ..	1
Yarm	6
	48

(vi) SHOPS:

No action has been required.

(vii) SMOKE ABATEMENT:

No action has been required regarding the abatement of nuisances from smoke.

(viii) SWIMMING BATHS AND POOLS:

There are no swimming baths or pools (publicly or privately owned) which are open to the public.

SECTION E.

Inspection and Supervision of Food.

(a) MILK SUPPLY:

Under the Milk and Dairies Order there are 648 Registered Producers in the area.

Under the Milk (Special Designation) Order, 1936, the North Riding County Council issued the following licences to Milk Producers in the Stokesley Rural District :-

Designation.	No.
Accredited	55
Tuberculin Tested	<u>49</u>
	<u>104</u>

One Supplementary Licence was issued to a retailer to retail Pasteurised Milk.

(b) MEAT AND OTHER FOODS:

Since the adoption of the Meat Distribution Scheme by the Ministry of Food, slaughtering has ceased within the area, all meat supplied to butchers in the area being drawn from the Distributing Centre at Middlesbrough and the local butchers distributing from one centre.

The only inspections of slaughter in the area have been emergency cases, and where the carcass has been found fit for food it has been sent to the Distributing Centre for disposal.

55 Visits were made in respect of inspections of food.

The undermentioned table gives details of foods that were found to be unsound and voluntarily surrendered.

TINNED GOODS.

Article.	No. of Tins.	Weight.	
		lbs.	ozs.
Chopped Ham	15	90	12
Corned Beef	29	121	8
Tongue	1	1	-
	45	213	-
Beans	12		
Peas	7		
Carrots	1		
Pilchards	13		
Soup	167		
Salmon	4		
Fish Cakes	13		
Fish Paste	35		
Health Salts	45		
Mustard	48		
	345		
Home Killed:		st.	lbs.
Pork			6
Beef		10	-
Bacon			2
Rabbits			10
		11	4
Flour		12	-
Lentils		6	-
Semolina		8	-
		26	-

SECTION F.

Prevalence of, and Control over, Infectious and other Diseases.

Diphtheria Prophylaxis.

Number Immunised 1937/1945.	Estimated Child population.	Percentage Immunised.
Under 5 years of age 804	1310	61.4
Aged 5-14 years of age 1887	2300	82.0

Notifiable Diseases (other than Tuberculosis) During the Year 1945.

Disease.	Total Cases Notified.	Cases Admitted to Hospital.	Total Deaths.	Cost of Removal and Treatment.		
				£.	s.	d.
Cerebro Spinal Meningitis.	-	-	-	-	-	-
Diphtheria	5	5	-	123.	2.	11
Erysipelas	-	-	-	-	-	-
Measles	110	1	-	6.	2.	10
Pneumonia	14	1	9	3.	12.	10
Polio-myelitis	-	-	-	-	-	-
Puerperal Pyrexia	1	1	-	20.	8.	8
Scarlet Fever	33	29	-	217.	10.	11
Vincent's Angina	1	1	-	11.	2.	10
Whooping Cough	5	-	1	-	-	-
Totals	169	38	10	382	- 1 -	0

Table

1870

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887

1888

1889

1890

DISEASE	Total cases notified.	Under 1 Year	2	3	4	5	10	15	20	35	45	65 and over	Bilsdale	Carlton	Crathorne	Easby	East Rounton	Faceby	Great Ayton	Great Broughton	Great Busby	Henlington	Hilton	Hutton Rudby	Ingleby Arncliffe	Ingleby Barwick	Ingleby Greenhow	Kirkleavington	Maltby	Marton	Middleton	Newby	Nunthorpe	Ormesby	Picton	Potto	Rudby	Seamer	Skutterskelfe	Stainton	Stokesley	Whorlton	Yarm	
Diphtheria	5	-	-	-	-	1	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Measles	110	121	151	135	1	8	1	1	1	-	-	-	5	12	1	1	1	1	2	1	1	1	1	2	2	1	6	1	1	16	11	12	5	4	4	9	1	1	6	10	12			
Pneumonia	14	2	-	-	-	2	1	2	3	-	-	4	1	1	1	-	-	1	1	-	1	-	1	1	-	1	1	1	-	-	-	-	1	-	-	-	-	1	2	1	2			
Puerperal Pyrexia	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Scarlet Fever	33	2	3	4	18	4	1	1	-	-	-	-	-	-	1	-	-	-	6	1	-	-	-	-	4	-	-	-	-	2	-	1	15	-	-	-	-	-	-	1	2			
Vincent's Angina	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Whooping Cough	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	5	-	-			
Totals	169	127	20	19	71	16	3	5	5	5	-	4	1	6	2	3	1	1	1	2	1	1	1	5	6	-	5	1	-	10	-	19	23	5	4	-	10	-	1	11	12	10		

PREVENTION OF BLINDNESS.

No. action was taken under Section 176 of the Public Health Act, 1936, for the prevention of blindness or for the treatment of persons suffering from any disease or injury to the eye.

TUBERCULOSIS

New Cases and Mortality during
1945.

	New Cases.				Deaths.			
	Respiratory.		Non-Respiratory.		Respiratory.		Non-Respiratory.	
	M.	F.	M.	F.	M.	F.	M.	F.
0-4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	1	-	-	-	-
25-34	1	-	-	2	-	-	-	-
35-44	1	4	1	-	1	-	-	-
45-54	-	1	-	-	1	-	-	-
55-64	1	-	-	-	1	-	-	-
65-74	2	1	-	-	-	1	-	-
75 & upwards	-	-	-	-	-	-	-	-
	5	6	1	3	3	1	-	-

PARISHES:-

New Cases - Respiratory -

Male - 3 Ormesby, 1 Great Ayton, 1 Yarm.
Female - 2 Marton, 1 Stainton, 1 Nunthorpe,
1 East Rounton, 1 Kirkleavington.

Non-Respiratory -

Male - 1 Ingleby Barwick.
Female - 1 Great Ayton, 1 Kirkleavington, 1 Yarm.

Deaths -

Male - 2 Marton, 1 Easby.
Female - 1 Stainton.

CAUSES OF DEATH IN THE STOKESLEY RURAL DISTRICT
FOR THE YEAR 1945.

Cause of Death	Total	Males	Females
Typhoid and Paratyphoid Fevers	-	-	-
Measles	-	-	-
Scarlet Fever	-	-	-
Whooping Cough	1	1	-
Diphtheria	-	-	-
Influenza	2	2	-
Encephalitis Lethargica.. ...	-	-	-
Cerebro-Spinal Fever	-	-	-
Tuberculosis of Respiratory... System	5	4	1
Other Tuberculosis	-	-	-
Syphilis	1	-	1
Cancer	30	14	16
Diabetes	-	-	-
Cerebral Haemorrhage	22	9	13
Heart Disease	69	36	33
Other Circulatory Diseases ...	5	2	3
Bronchitis	12	6	6
Pneumonia (all forms)	9	6	3
Other Respiratory Diseases ...	1	1	-
Peptic Ulcer	-	-	-
Diarrhoea under 2 years.. ...	2	2	-
Appendicitis	-	-	-
Other Digestive Diseases ...	5	3	2
Acute and Chronic Nephritis ..	2	1	1
Puerperal Sepsis	1	-	1
Other Puerperal Diseases ...	2	-	2
Premature Birth	5	3	2
Congenital Defects Birth Injury	3	3	-
Road Traffic Accidents ...	4	3	1
Suicide	2	1	1
Other Violence	2	2	-
All other causes	13	5	8
Totals	198	104	94

BIRTH-RATES, DEATH-RATES, ANALYSIS OF MORTALITY, MATERNAL
DEATH-RATES, and CASE-RATES FOR CERTAIN INFECTIOUS DISEASES
IN THE YEAR 1945. ENGLAND AND WALES, LONDON, 126 GREAT
TOWNS AND 148 SMALLER TOWNS.

	Stokesley RD	England and Wales	126 County Boroughs & Great Towns including London.	148 Smaller Towns (Resident Popula- tions 25,000 to 50,000 at 1931 Census)	London Administrative County
Rates per 1,000 Population					
Births:-					
Live	16.6	16.1	19.1	19.2	15.7
Still	0.94	0.46	0.58	0.53	0.40
Deaths:-					
All Causes ...	12.4	11.4	13.5	12.3	13.8
Typhoid and Paratyphoid Fevers	-	-	-	-	-
Small pox ...	-	-	-	-	-
Measles ...	-	0.02	0.02	0.02	0.01
Scarlet Fever	-	-	-	-	-
Whooping Cough	0.06	0.02	0.02	0.01	0.02
Diphtheria ...	-	0.02	0.02	0.02	0.01
Influenza ...	0.12	0.08	0.07	0.07	0.07
Notifications:-					
Smallpox ...	-	-	-	-	-
Scarlet Fever	2.00	1.89	2.02	2.03	1.57
Diphtheria ...	0.31	0.46	0.52	0.56	0.31
Enteric Fever	-	0.02	0.01	0.01	0.01
Erysipelas ...	-	0.25	0.28	0.24	0.31
Pneumonia ...	0.88	0.87	1.03	0.72	0.78
Cerebro-Spinal Fever	-	0.05	0.05	0.05	0.06
Whooping Cough	0.31	1.64	1.65	1.47	1.25
Measles ...	6.90	11.67	10.89	11.19	9.03
Rates per 1,000 Live Births					
Deaths under 1 year of age....	56.6	46	54	43	53
Deaths from Diarrhoea and Enteritis under 2 years of age.	7.5	5.6	7.8	4.5	7.6
Rates per 1,000 Total Births (Live & Still)					
Maternal Mortality:-					
Puerperal Sepsis	3.6	0.24	Not available		
Others ...	7.1	1.22			
Total ...	10.7	1.46			
Notifications:-					
Puerperal Fever)					3.60)
Puerperal)	3.6	9.93	12.65	8.81	)
Pyrexia)					15.87)

